Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently amended) A downhole tool for use in a well bore, the tool comprising:

a tubular body having an axial throughbore and adapted for connection within a work string;

a sleeve mounted around the body, the sleeve including one or more stabiliser blades, said stabiliser blades including one or more jetting ports to direct fluid from the axial throughbore onto a surface of the well bore; ~~and~~

one or more actuating means to selectively direct the fluid through the jetting ports and thereby circulate the fluid;

and wherein a channel is located between the body and sleeve, accessed by the jetting ports.

2. (Original) A downhole tool as claimed in Claim 1 wherein the one or more actuating means provides a cyclic on/off function.

3. (Previously presented) A downhole tool as claimed in Claim 1 wherein the actuating means is selected from the group consisting of ball activated, weight activated and hydraulically activated actuating means or a combination thereof.

4. (Canceled)

5. (Previously presented) A downhole tool as claimed in Claim 1 wherein an outer diameter of the stabiliser blades on the sleeve are sized to be close to the inner diameter of the tubular in use.

6. (Previously presented) A downhole tool as claimed in Claim 1 wherein the stabiliser blades are arranged in a helical pattern around the sleeve.

7. (Previously presented) A downhole tool as claimed in Claim 1 wherein the tool includes a triangular flow-by groove, between adjacent stabiliser blades.

8. (Previously presented) A downhole tool as claimed in Claim 1 wherein each stabiliser blade has a central portion including a surface parallel to the axial throughbore, on which are arranged the one or more jetting ports.

9. (Previously presented) A downhole tool as claimed in Claim 1 wherein the blades include a milling surface.

10. (Previously presented) A downhole tool as claimed in Claim 1 wherein one or more of the jetting ports include a nozzle, located below an outer surface of the blade.

11. (Canceled)

12. (Canceled)

13. (New) A downhole tool as claimed in Claim 11 wherein the one or more actuating means selectively direct fluid from the axial throughbore to the channel.

14. (New) A downhole tool for use in a well bore, the tool comprising:

a tubular body having an axial throughbore and adapted for connection within a work string;

a sleeve mounted around the body, the sleeve including one or more stabiliser blades, said stabiliser blades including one or more jetting ports to direct fluid from the axial throughbore onto a surface of the well bore; and

one or more actuating means to selectively direct the fluid through the jetting ports and thereby circulate the fluid;

and wherein the sleeve is threaded onto the body by a left-hand screw thread.